


FRANCY-OP

RECTANGULAR

Bulkhead lamp with no visible screws and front light emission. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for wall and ceiling installation. Complete with TÜV approved, long-life and efficient **GX53 LED lamps included** or provided with **E27** lampholder. Version with motion sensor available. Insulation class II, Protection rating IP66.



 FRANCY-OP
 2A1.000

*Plafoniera senza viti a vista con emissione della luce frontale. Realizzata in resina antiurto stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete e a soffitto. Completa di **lampadine a LED GX53** approvate TÜV di lunga durata ed elevata efficienza o fornita nella versione **E27**. Disponibile anche con sensore di movimento. Classe di isolamento II, grado di protezione IP66.*



2A1.000





FRANCY-OP - COMPONENTS

IP 66



COVER with no visible screws made of shockproof resin material UV-rays stabilized. Designed for getting front light emission.

COVER senza viti a vista realizzata in resina antiurto, stabilizzata ai raggi UV. Disegnata per ottenere un'emissione frontale della luce.



DIFFUSER made of UV-rays stabilized polymethylmethacrylate (PMMA) screwed to the bulkhead base.

DIFFUSORE realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV da avvitare alla base della plafoniera.



BASE made of shockproof resin material, UV-rays stabilized, suitable for the electrical devices fixation. Provided with E27 or with 2x GX53 lampholders and complete with silicone rubber gasket to ensure high protection against external agents.

BASE realizzata in resina antiurto, stabilizzata ai raggi UV, adatta ad alloggiare gli accessori elettrici. Fornita completa di portalamпада E27 o di 2 portalamпада GX53. Completa di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.

FRANCY-OP



Dimensions and weight

Width: 130 mm
Height: 300 mm
Depth: 90 mm
Weight: 0,6 Kg

Moulded Colours:

☒ Black ☒ Grey ☒ White

Diffuser PMMA:

☐ Opal

LED LAMPS



More technical details about TÜV approved Fumagalli LED Lamps on page 512.

GX53 LED



Bulkhead supplied **fully pre-wired** complete with TÜV approved long-life and efficient **GX53 LED lamps 2x 3W-700lm included**. Quick and easy lamp replacement for a very simple maintenance after installation.

GX53 LED	2x 3W 6 W	700 Lm	4000 K	G2L
			3000 K	.G2R

2x 3W 700 Lm = 60W incandescent

SAVE 90%

E27



Bulkhead supplied **fully pre-wired** with E27 lampholder. Provided as an option with TÜV approved, long-life and efficient **LED filament lamps** suitable for outdoor use with driver fully protected against heat and humidity by silicone paste.

E27 (CFL-LED)	max 160 mm		.E27
	6 W	800 Lm	
FILAMENT LED E27			4000 K .F1L
			2700 K .F1R
	8 W	1000 Lm	4000 K .M1L
			2700 K .M1R
	12 W	1500 Lm	4000 K .N1L
			2700 K .N1R

6W 8W 12W = 60W 75W 100W incandescent

SAVE 90%

E27 with sensor



Bulkhead supplied **fully pre-wired** with E27 lampholder and **LED filament lamps** as an option. Complete with microwave daylight and motion **sensor**. Sensor operating voltage: 220-240V. (120V version available on demand).

E27 (CFL-LED)	max 160 mm		.ES7
	6 W	800 Lm	
FILAMENT LED E27			4000 K .S1L
			2700 K .S1R
	8 W	1000 Lm	4000 K .T1L
			2700 K .T1R
	12 W	1500 Lm	4000 K .V1L
			2700 K .V1R


6W 8W 12W = 60W 75W 100W incandescent

SAVE 90%

FRANCY-OP

RECTANGULAR





FRANCY-OP GX53		
2A1.000.G2L	2x3W	2A1.000.G2R
4000K	2 GX53 LED LAMPS INCLUDED	3000K
Pcs 24 Kg 17,2 mc 0,12		

FRANCY-OP E27		
2A1.000.F1L	6W	2A1.000.F1R
2A1.000.M1L	8W	2A1.000.M1R
2A1.000.N1L	12W	2A1.000.N1R
4000K		2700K
Pcs 24 Kg 15,7 mc 0,12		
E27 lampholder	2A1.000.E27	
E27 with sensor	2A1.000.ES7	